

	Type	L #	Hits	Search Text	DBs
1	BRS	L1	22	"709"/203.ccls. and ((generat\$3 OR creat\$3 OR develop\$4) SAME (webpage\$1 OR web-page\$1)) AND (ASP\$1 OR (Active NEAR3 Server NEAR3 Page\$1))	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
2	BRS	L2	158	(Server\$1 client\$1) and (ASP (Active-Server- Page\$1)) with language with file\$1	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
3	BRS	L3	75681	template\$1 and ((generat\$3 OR creat\$3 OR develop\$3 execut\$3 run compil\$3) SAME (webpage\$1 OR web-page\$1)) AND (ASP\$1 OR (Active NEAR3 Server NEAR3 Page\$1)) and HTML xML WML	US- PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWEN T; IBM_TD B

	Type	L #	Hits	Search Text	DBs
4	BRS	L4	20	"715"/234.ccls. and ((generat\$3 OR creat\$3 OR develop\$4) SAME (webpage\$1 OR web-page\$1)) AND (ASP\$1 OR (Active NEAR3 Server NEAR3 Page\$1))	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
5	BRS	L5	4	"707"/102.ccls. and ((generat\$3 OR creat\$3 OR develop\$4) SAME (webpage\$1 OR web-page\$1)) AND (ASP\$1 OR (Active NEAR3 Server NEAR3 Page\$1))	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
6	BRS	L6	475	((generat\$3 OR creat\$3 OR develop\$4) SAME (webpage\$1 OR web-page\$1)) AND (ASP\$1 OR (Active NEAR3 Server NEAR3 Page\$1))	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
7	BRS	L7	432	((generat\$3 OR creat\$3 OR develop\$3) SAME (webpage\$1 OR web-page\$1)) AND (ASP\$1 OR (Active NEAR3 Server NEAR3 Page\$1)) AND (GUI OR CIG OR interface\$1)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B

	Type	L #	Hits	Search Text	DBs
8	BRS	L8	162	((generat\$3 OR creat\$3 OR develop\$3) SAME (webpage\$1 OR web-page\$1)) AND (ASP\$1 OR (Active NEAR3 Server NEAR3 Page\$1)) AND compil\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB
9	BRS	L12	14136	(Server\$1 client\$1) and (ASP (Active-Server-Page\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB
10	BRS	L16	14136	(Server\$1 client\$1) and (ASP (Active-Server-Page\$1) with hotmail)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB
11	BRS	L17	2584	(Server\$1 client\$1) and (ASP (Active-Server-Page\$1) with hotmail) same file\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB

	Type	L #	Hits	Search Text	DBs
12	BRS	L19	75774	((generat\$3 OR creat\$3 OR develop\$3 execut\$3 run compil\$3) SAME (webpage\$1 OR web-page\$1)) AND (ASP\$1 OR (Active NEAR3 Server NEAR3 Page\$1)) and HTML xML WML	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
13	BRS	L20	75681	template\$1 and ((generat\$3 OR creat\$3 OR develop\$3 execut\$3 run compil\$3) SAME (webpage\$1 OR web-page\$1)) AND (ASP\$1 OR (Active NEAR3 Server NEAR3 Page\$1)) and HTML xML WML	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
14	BRS	L21	500	((Active adj1 Server adj1 Page) or ASP) same (compil\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
15	BRS	L10	3	((generat\$3 OR creat\$3 OR develop\$3) SAME (webpage\$1 OR web-page\$1)) AND (ASP\$1 OR (Active NEAR3 Server NEAR3 Page\$1)) AND compil\$3 AND (byte-code\$1 OR (byte ADJ1 code\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB
16	BRS	L11	3	((generat\$3 OR creat\$3 OR develop\$3) SAME (webpage\$1 OR web-page\$1)) AND (ASP\$1 OR (Active NEAR3 Server NEAR3 Page\$1)) AND compil\$3 AND (byte-code\$1 OR (byte ADJ1 code\$1)) AND (GUI OR CIG OR interface\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB
17	BRS	L14	6	HTML and (ISAP (Internet-service-Application-Programming-Interface))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB
18	BRS	L15	2	(Server\$1 client\$1) and (ASP (Active-Server-Page\$1)) with Hotmail	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB

	Type	L #	Hits	Search Text	DBs
19	BRS	L18	6	(HTML xML WML)and (ISAP or (Internet-service-Application-Programming-Interface))	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
20	BRS	L9	152	((generat\$3 OR creat\$3 OR develop\$3) SAME (webpage\$1 OR web-page\$1)) AND (ASP\$1 OR (Active NEAR3 Server NEAR3 Page\$1)) AND compil\$3 AND (GUI OR CIG OR interface\$1)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
21	BRS	L13	138	L12 and ((generat\$3 OR creat\$3 OR develop\$3) SAME (webpage\$1 OR web-page\$1)) AND (ASP\$1 OR (Active NEAR3 Server NEAR3 Page\$1)) AND compil\$3	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B

	Type	L #	Hits	Search Text	DBs
22	BRS	L23	45	internet service application programming interface	US- PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWEN T; IBM_TD B
23	BRS	L24	16	23 and (active server page)	US- PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWEN T; IBM_TD B